

SAFETY DATA SHEET

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Revision: 04.18.2018



SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** Shaler® Industrial Seal Pro
- **Product code:** No other identifiers
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture:** Sealing
- **1.3 Details of the supplier of the Safety Data Sheet**
- **Manufacturer/Supplier:**
Shaler
P.O. Box 187
Holly, MI 48442 USA
Phone: (810) 603-1321
- **1.4 Emergency telephone number:**
ChemTel Inc.
+1 (800)255-3924, +1 (813)248-0585

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
The product is not classified as hazardous according to the Globally Harmonized System (GHS).
The product is not classified as hazardous according to OSHA GHS regulations within the United States.
The product is not classified as hazardous according to the CLP regulation.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is not classified as hazardous according to OSHA GHS regulations within the United States. This product does not have a classification according to the CLP regulation.
- **Hazard pictograms** Not Regulated
- **Signal word** Not Regulated
- **Hazard-determining components of labelling:** None.
- **Hazard statements** Not Regulated
- **Precautionary statements** Not Regulated.
- **NFPA ratings (scale 0 - 4)**
- Health = 0
Fire = 0
Reactivity = 0
- **HMIS-ratings (scale 0 - 4)**
- | | | |
|------------|---|----------------|
| HEALTH | 0 | Health = 0 |
| FIRE | 0 | Fire = 0 |
| REACTIVITY | 0 | Reactivity = 0 |

(Cont'd. on page 2)

SAFTEY DATA SHEET

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Revision: 04.18.2018


Trade name: Shaler® Industrial Seal Pro

(Cont'd. from page 1)

* - Indicates a long term health hazard from repeated or prolonged exposures.

- **2.3 Other hazards** There are no other hazards not otherwise classified that have been identified.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients· **3.2 Mixtures**· **Components:**

| | | | |
|--|------------------|--|-------|
| CAS: 497-19-8 EINECS: 207-838-8 Index number: 011-005-00-2 | sodium carbonate |  Eye Irrit. 2, H319 | < 10% |
|--|------------------|--|-------|

· **Additional information:**

For the listed ingredient(s), the identity and exact percentages are being withheld as a trade secret. For the wording of the listed Hazard Statements refer to section 16.

SECTION 4: First aid measures· **4.1 Description of first aid measures**

- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**
Clean with water and soap.
If skin irritation is experienced, consult a doctor.
- **After eye contact:**
Remove contact lenses if worn.
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**
Rinse out mouth and then drink plenty of water.
Do not induce vomiting; call for medical help immediately.

· **4.2 Most important symptoms and effects, both acute and delayed**

Coughing
Cramp
Slight irritant effect on eyes.
Gastric or intestinal disorders when ingested.
Nausea in case of ingestion.

· **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

SECTION 5: Firefighting measures· **5.1 Extinguishing media**

- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.

(Cont'd. on page 3)

SAFETY DATA SHEET

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Revision: 04.18.2018

Trade name: Shaler® Industrial Seal Pro

(Cont'd. from page 2)

- **For safety reasons unsuitable extinguishing agents:** None.
- **5.2 Special hazards arising from the substance or mixture**
Formation of toxic gases is possible during heating or in case of fire.
- **5.3 Advice for firefighters**
- **Protective equipment:**
Wear self-contained respiratory protective device.
Wear fully protective suit.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Ensure adequate ventilation
- **6.2 Environmental precautions** Avoid release to the environment.
- **6.3 Methods and material for containment and cleaning up**
Pick up mechanically.
Dispose of the material collected according to regulations.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
Prevent formation of dust.
Any unavoidable deposit of dust must be regularly removed. Use only in well ventilated areas.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Protect from humidity and water.
- **Information about storage in one common storage facility:**
Store away from foodstuffs.
Do not store together with acids.
Store away from oxidising agents.
- **Further information about storage conditions:** Store in cool, dry conditions in well sealed receptacles.
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

(Cont'd. on page 4)

SAFETY DATA SHEET

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Revision: 04.18.2018

Trade name: Shaler® Industrial Seal Pro

(Cont'd. from page 3)

- **DNELs:** No further relevant information available.
- **PNECs:** No further relevant information available.
- **8.2 Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed.
Wash hands before breaks and at the end of work. Do not inhale dust / smoke / mist.
Avoid contact with the eyes.
- **Respiratory protection:**
Not required under normal conditions of use.
For spills, respiratory protection may be advisable.
- **Protection of hands:**
Gloves are advised for repeated or prolonged contact.
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
- **Eye protection:**



Safety glasses

- **Body protection:**
Not required under normal conditions of use.
Protection may be required for spills.
- **Limitation and supervision of exposure into the environment:** No special requirements.
- **Risk management measures:** No special requirements.

SECTION 9: Physical and chemical properties

| | |
|--|-----------------|
| · 9.1 Information on basic physical and chemical properties | |
| · Appearance | |
| · Form: | Powder |
| · Colour: | Light brown |
| · Odour: | Odourless |
| · Odour threshold: | Not determined. |
| · pH-value: | Not applicable. |
| · Melting point/Melting range: | Not determined. |
| · Boiling point/Boiling range: | Not determined. |
| · Flash point: | Not applicable. |
| · Flammability (solid, gaseous): | Not determined. |
| · Auto/Self-ignition temperature: | Not determined. |
| · Decomposition temperature: | Not determined. |

(Cont'd. on page 5)

SAFETY DATA SHEET

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Revision: 04.18.2018

Trade name: Shaler® Industrial Seal Pro

(Cont'd. from page 4)

| | |
|---|--|
| · Self-igniting: | Product is not self-igniting. |
| · Danger of explosion: | Product does not present an explosion hazard. |
| · Explosion limits Lower: Upper: | Not determined. Not determined. |
| · Vapour pressure: | Not applicable. |
| · Density: · Relative density: · Vapour density: · Evaporation rate: | Not determined. Not determined. Not applicable. Not applicable. |
| · Solubility in / Miscibility with water: | Soluble. |
| · Partition coefficient (n-octanol/water): | Not determined. |
| · Viscosity Dynamic: Kinematic: | Not applicable. Not applicable. |
| · 9.2 Other information | No further relevant information available. |

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used and stored according to specifications.
- **10.3 Possibility of hazardous reactions**
Reacts with strong acids and oxidising agents.
As the product is supplied it is not capable of dust explosion; however enrichment with fine dust causes risk of dust explosion.
- **10.4 Conditions to avoid** Prevent formation of dust.
- **10.5 Incompatible materials** Strong acids
- **10.6 Hazardous decomposition products** Carbon monoxide and carbon dioxide

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity:** Based on available data, the classification criteria are not met.
- **LD/LC50 values relevant for classification:** None.
- **Primary irritant effect**
- **Skin corrosion/irritation:** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation:** Based on available data, the classification criteria are not met.

(Cont'd. on page 6)

SAFETY DATA SHEET

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Revision: 04.18.2018

Trade name: Shaler® Industrial Seal Pro

(Cont'd. from page 5)

- **Respiratory or skin sensitisation:** Based on available data, the classification criteria are not met.

- **Carcinogenic categories**

| |
|---|
| · IARC (International Agency for Research on Cancer): |
| None of the ingredients are listed. |
| · NTP (National Toxicology Program): |
| None of the ingredients are listed. |
| · OSHA-Ca (Occupational Safety & Health Administration): |
| None of the ingredients are listed. |

- **Probable routes of exposure:**

Ingestion.
Inhalation.
Eye contact.
Skin contact.

- **Repeated dose toxicity:** Long term inhalation of product dust may be harmful.
- **Germ cell mutagenicity:** Based on available data, the classification criteria are not met.
- **Carcinogenicity:** Based on available data, the classification criteria are not met.
- **Reproductive toxicity:** Based on available data, the classification criteria are not met.
- **STOT-single exposure:** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure:** Based on available data, the classification criteria are not met.
- **Aspiration hazard:** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** Biodegradable
- **12.3 Bioaccumulative potential** Does not accumulate in organisms.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:** Not known to be hazardous to water.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

(Cont'd. on page 7)

SAFETY DATA SHEET

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Revision: 04.18.2018

Trade name: Shaler® Industrial Seal Pro

(Cont'd. from page 6)

- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

SECTION 14: Transport information

| | |
|--|-----------------|
| · 14.1 UN-Number | |
| · DOT, ADR, IMDG, IATA | Not Regulated |
| · 14.2 UN proper shipping name | |
| · DOT, ADR, IMDG, IATA | Not Regulated |
| · 14.3 Transport hazard class(es) | |
| · DOT, ADR, IMDG, IATA | |
| · Class | Not Regulated |
| · 14.4 Packing group | |
| · DOT, ADR, IMDG, IATA | Not Regulated |
| · 14.5 Environmental hazards: | |
| · Marine pollutant: | No |
| · 14.6 Special precautions for user | Not applicable. |
| · 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code | Not applicable. |

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
No further relevant information available.
- **United States (USA)**
- SARA

| |
|--|
| · Section 355 (extremely hazardous substances): |
| None of the ingredients are listed. |
| · Section 313 (Specific toxic chemical listings): |
| None of the ingredients are listed. |
| · TSCA (Toxic Substances Control Act): |
| All ingredients are listed. |
| · Proposition 65 (California): |
| · Chemicals known to cause cancer: |
| None of the ingredients are listed. |

(Cont'd. on page 8)

SAFETY DATA SHEET

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Revision: 04.18.2018

Trade name: Shaler® Industrial Seal Pro

(Cont'd. from page 7)

| |
|--|
| · Chemicals known to cause reproductive toxicity for females: |
| None of the ingredients are listed. |
| · Chemicals known to cause reproductive toxicity for males: |
| None of the ingredients are listed. |
| · Chemicals known to cause developmental toxicity: |
| None of the ingredients are listed. |
| · Carcinogenic Categories |
| · EPA (Environmental Protection Agency) |
| None of the ingredients are listed. |
| · IARC (International Agency for Research on Cancer) |
| None of the ingredients are listed. |
| · NIOSH-Ca (National Institute for Occupational Safety and Health) |
| None of the ingredients are listed. |
| · Canada |
| · Canadian Domestic Substances List (DSL) |
| All ingredients are listed. |
| · Canadian Ingredient Disclosure list (limit 0,1%) |
| None of the ingredients are listed. |
| · Canadian Ingredient Disclosure list (limit 1%) |
| 497-19-8 sodium carbonate |
| · Other regulations, limitations and prohibitive regulations |
| · Substances of very high concern (SVHC) according to REACH, Article 57 |
| None of the ingredients are listed. |

- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**

H319 Causes serious eye irritation.

- **Abbreviations and acronyms:**

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS:

European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA:

National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

(Cont'd. on page 9)

SAFTEY DATA SHEET

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Revision: 04.18.2018

Trade name: Shaler® Industrial Seal Pro

(Cont'd. from page 8)

DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH) LC50:
Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
vPvB: very Persistent and very Bioaccumulative
Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

· **Sources**

Website, European Chemicals Agency (echa.europa.eu)
Website, US EPA Substance Registry Services (ofmpub.epa.gov/sorinternet/registry/substreg/home/overview/home.do)
Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's
Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: ISBN: 978-0-470-07488-6
Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN:
978-0-07-176923-5.
Safety Data Sheets, Individual Manufacturers

SDS Prepared by:
ChemTel Inc.
1305 North Florida Avenue
Tampa, Florida USA 33602-2902
Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573
Website: www.chemtelinc.com